

according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier olej brzdový FORCE MINERAL brake oil / brake oil FORCE

mineral brake oil

Substance / mixture mixture

UFI 5KF4-Q0J3-400S-FVU3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Mixture's intended use

The product is intended for sale to the consumer and the professional/industrial use.

Main intended use

PC-TEC-8 Hydraulic fluids, including brake and transmission fluids

Mixture uses advised against

The product should not be used in ways other then those referred in Section 1.

1.3. Details of the supplier of the safety data sheet

Distributor

Name or trade name KCK Cyklosport-Mode s.r.o.

Address Bartošova 348, Otrokovice - Kvítkovice, 765 02

Czech Republic

Identification number (CRN)18559751VAT Reg NoCZ18559751Phone+420 577 002 077E-mailinfo@kckcyklosport.czWeb addresswww.kckcyklosport.cz

Manufacturer

Name or trade name

Nacházel, s.r.o.

nacházel[®]

Address Průmyslová 11/1472, Praha 10 - Hostivař, 10219

Czech Republic

Identification number (CRN)25734458VAT Reg NoCZ25734458Phone+420 222 351 140E-mailmaziva@nachazel.czWeb addresswww.nachazel.cz

Competent person responsible for the safety data sheet

Name Nacházel, s.r.o.
E-mail maziva@nachazel.cz

1.4. Emergency telephone number

European emergency number: 112

SECTION 2: Hazards identification

. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Asp. Tox. 1, H304

Most serious adverse effects on human health and the environment

May be fatal if swallowed and enters airways.



according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

2.2. Label elements Hazard pictogram



Signal word

Danger

Hazardous substances

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based Distillates (petroleum), solvent-dewaxed heavy paraffinic

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 649-483-00-5 CAS: 72623-87-1 EC: 276-738-4 Registration number: 01-2119474889-13	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	≥90	Asp. Tox. 1, H304	1
Index: 649-474-00-6 CAS: 64742-65-0 EC: 265-169-7 Registration number: 01-2119471299-27	Distillates (petroleum), solvent-dewaxed heavy paraffinic	3-<5	Asp. Tox. 1, H304	1
CAS: 4259-15-8 EC: 224-235-5 Registration number: 01-2119493635-27	Zinc bis[O,O-bis(2-ethylhexyl)] bis (dithiophosphate)	0,2-<0,3	Eye Dam. 1, H318 Aquatic Chronic 2, H411 Specific concentration limit: Eye Irrit. 2, H319: 50 % ≤ C < 80 % Eye Dam. 1, H318: C > 80 %	
Index: 649-467-00-8 CAS: 64742-54-7 EC: 265-157-1 Registration number: 01-2119484627-24	Distillates (petroleum), hydrotreated heavy paraffinic	<0,2	not classified as dangerous	2



according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 128-39-2 EC: 204-884-0 Registration number: 01-2119490822-33	2,6-Di-tert-butylphenol	,	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 Specific concentration limit: Skin Irrit. 2, H315: C > 35 %	

Notes

- Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.
- 2 Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Full text of all classifications and hazard statements is given in the section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Do not perform artificial respiration without self-protection (e.g. a mask). Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

If inhaled

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes.

Tf swallowed

If the affected person vomits, make sure to prevent inhalation of the vomit (as there is a danger of lung damage after inhalation of these liquids in the airways also in infinitesimal amount). Ensure medical treatment considering the frequent need of further observation for at least 24 hours. Bring an original container with the label and the Safety Data Sheet of the given substance as appropriate.

4.2. Most important symptoms and effects, both acute and delayed

If inhaled

Cough, headache.

If on skin

Not expected.

If in eyes

Not expected.

If swallowed

Irritation, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.



according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

Unsuitable extinguishing media

Water - full jet.

5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray.

6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents

6.4. Reference to other sections

See the Section 7, 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not inhale mist/vapours/spray. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package
100 ml	dropper	HDPE
11	bottle	HDPE

Storage class

10 - Other combustible liquids

Storage temperature

min 0 °C, max 50 °C

7.3. Specific end use(s)

Data not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.



according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

Eye/face protection

Protective goggles.

Skin protection

Hand protection: Protective gloves resistant to the product. Contaminated skin should be washed thoroughly.

Respiratory protection

Mask with a filter against organic vapours in a poorly ventilated environment.

Thermal hazard

Not available.

Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state liquid

Colour colourless, brown
Odour characteristic

Melting point/freezing point -45 °C (ASTM D7346)

Boiling point or initial boiling point and boiling range data not available

Flammability for initial boiling point and boiling range data not available non-inflammable

Lower and upper explosion limit data not available Flash point >160 °C (ASTM D92)

Auto-ignition temperature data not available
Decomposition temperature data not available
pH non-soluble (in water)

Kinematic viscosity 10 mm²/s at 40 °C (ASTM D7042)

Solubility in water insoluble

Solubility in fats data not available
Partition coefficient n-octanol/water (log value) data not available
Vapour pressure data not available

Density and/or relative density

Density 0.824 g/cm³ at 15 °C (ASTM D4052)

Relative vapour density data not available Particle characteristics data not available

9.2. Other information

Content of organic solvents (VOC) 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

When used in the standard way, there is not any dangerous reaction with other substances.

10.2. Chemical stability

The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

Unknown.



according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the mixture.

Acute toxicity

not available

Skin corrosion/irritation

Based on available data the classification criteria are not met.

Serious eye damage/irritation

Based on available data the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

Germ cell mutagenicity

Based on available data the classification criteria are not met.

Carcinogenicity

Based on available data the classification criteria are not met.

Reproductive toxicity

Based on available data the classification criteria are not met.

Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

Aspiration hazard

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 12: Ecological information

12.1. Toxicity

not available

More information

The product is not considered to be harmful to aquatic organisms, nor is it known to have long-term adverse effects on the environment.



according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

12.2. Persistence and degradability

not available

12.3. Bioaccumulative potential

Not available.

12.4. Mobility in soil

Not available.

12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

12.6. Endocrine disrupting properties

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

Not available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

Waste type code

13 02 05* mineral-based non-chlorinated engine, gear and lubricating oils

Packaging waste type code

15 01 10* packaging containing residues of or contaminated by hazardous substances

15 01 02 plastic packaging

(*) - Hazardous waste according to Directive 2008/98/EC on hazardous waste

SECTION 14: Transport information

14.1. UN number or ID number

not subject to transport regulations

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

14.4. Packing group

not relevant

14.5. Environmental hazards

not relevant

14.6. Special precautions for user

Reference in the Sections 4 to 8.

14.7. Maritime transport in bulk according to IMO instruments

not relevant



according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016

Revision date 12th July 2024 Version 4.0

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

15.2. Chemical safety assessment

not available

SECTION 16: Other information

A list of standard risk phrases used in the safety data sheet

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

Guidelines for safe handling used in the safety data sheet

P102 Keep out of reach of children.

P301+P310 IF SWALLOWED: Immediately call a doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to in accordance with local regulations by handing over to a person authorized to dispose of waste or a site designated by the town.

Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

Key to abbreviations and acronyms used in the safety data sheet

ADR European agreement concerning the international carriage of dangerous goods by

road

BCF Bioconcentration Factor
CAS Chemical Abstracts Service

CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of

substance and mixtures

EC Identification code for each substance listed in EINECS

EINECS European Inventory of Existing Commercial Chemical Substances

EmS Emergency plan EU European Union

EuPCS European Product Categorisation System IATA International Air Transport Association

IBC International Code For The Construction And Equipment of Ships Carrying

Dangerous Chemicals

ICAOInternational Civil Aviation OrganizationIMDGInternational Maritime Dangerous GoodsIMOInternational Maritime Organization

INCI International Nomenclature of Cosmetic Ingredients
ISO International Organization for Standardization
IUPAC International Union of Pure and Applied Chemistry

log Kow Octanol-water partition coefficient OEL Occupational Exposure Limits



4.0

according to Commission Regulation (EU) 2020/878 as amended

olej brzdový FORCE MINERAL brake oil / brake oil FORCE mineral brake oil

Creation date 11th April 2016
Revision date 12th July 2024 Version

PBT Persistent, Bioaccumulative and Toxic

ppm Parts per million

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID Agreement on the transport of dangerous goods by rail

UN Four-figure identification number of the substance or article taken from the UN

Model Regulations

UVCB Substances of unknown or variable composition, complex reaction products or

biological materials

VOC Volatile organic compounds

vPvB Very Persistent and very Bioaccumulative

Aquatic Acute Hazardous to the aquatic environment

Aquatic Chronic Hazardous to the aquatic environment (chronic)

Asp. Tox. Aspiration hazard Eye Dam. Serious eye damage Skin Irrit. Skin irritation

Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

Recommended restrictions of use

not available

Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

More information

Classification procedure - calculation method.

Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.